



WHEY PROTEIN

STATE OF THE SCIENCE:
The Power of Whey Protein

PROTEIN

Protein is an essential nutrient (like fat and carbohydrate) your body needs each day to help build and maintain muscle mass. Nevertheless, not all proteins are created equal—quality can make a difference. High-quality protein foods make it easy for you to get all of the essential amino acids your body needs to build and maintain muscle and help your body work properly. Among protein sources, whey protein is an easily digested, rapidly absorbed high-quality protein that is naturally found in dairy.

Research shows that whey protein helps promote muscle repair and recovery after exercise.¹⁻⁴ Additionally, numerous scientific studies have been conducted to better assess the benefits of higher protein diets, including many studies incorporating whey protein. Findings from this body of research show consuming a higher protein diet can help people:

- *maintain a healthy weight,*⁵⁻¹⁰
- *curb hunger,*¹¹⁻¹³
- *build lean muscle (with regular resistance exercise),*¹⁴⁻¹⁶
- *enhance exercise recovery*¹⁻⁴
- *maintain muscle mass as they age.*^{17, 18}

The following are summaries of several published findings in these areas. For more information on whey protein, visit www.wheyprotein.nationaldairycouncil.org.

MAINTAIN A HEALTHY WEIGHT

Whey Protein, as Part of a Diet Higher in Protein, Can Help with Weight Maintenance

Results from clinical trials indicate higher protein diets may help people preserve lean body mass and maintain a better body composition.⁵⁻⁷ Following a higher protein diet after weight loss may also result in less weight regained, with most of what is regained in subsequent months being muscle.⁸⁻¹⁰ In addition, high-quality protein, such as whey protein, may aid in weight maintenance by promoting satiety, thermogenesis (production of heat by the body) and energy efficiency, and by improving body composition.¹⁹



Visit www.wheyprotein.nationaldairycouncil.org for more information about the power of whey protein.



NATIONAL DAIRY COUNCIL®

© 2013 NATIONAL DAIRY COUNCIL ®

WHEY PROTEIN

STATE OF THE SCIENCE: *The Power of Whey Protein*

CURB HUNGER

Whey Protein, as Part of a Diet Higher in Protein, Can Help Curb Hunger

Eating more protein may help people eat less because consuming protein as part of a higher protein diet increases the feeling of fullness more than carbohydrate or fat.²⁰ Further, there is evidence that shows increasing the amount of protein in the diet can lead to decreased total caloric intake and body weight.²⁰

BUILD LEAN MUSCLE


Whey Protein, With Regular Resistance Exercise, Can Help Maximize Muscle Growth

Whey protein increases the rate at which the body makes lean muscle because it is one of the best sources of naturally occurring branched-chain amino acids, including leucine.²¹ Research shows that consuming whey protein in combination with resistance exercise can boost the rate at which the body makes lean muscle, which may improve body composition.^{1,3,4} Moreover, the combination of protein intake and resistance exercise has been shown to be more effective at increasing lean muscle than either of the two alone, or than the combination of resistance training and ingestion of a carbohydrate.²²⁻²⁸

ENHANCE EXERCISE RECOVERY

Whey Protein Can Help Enhance Muscle Recovery After Exercise

Consuming whey protein post-exercise can help maximize the effects of exercise by increasing the rate at which the body makes lean muscle.^{16,1-4} Further, some studies suggest consuming whey protein during and/or after exercise may improve strength²⁹⁻³¹ and support muscle function^{32,33} after fatigue; however, more research is needed.



Visit www.wheyprotein.nationaldairycouncil.org for more information about the power of whey protein.



NATIONAL DAIRY COUNCIL®

© 2013 NATIONAL DAIRY COUNCIL ®

WHEY PROTEIN

STATE OF THE SCIENCE: *The Power of Whey Protein*

REDUCE MUSCLE LOSS AND SUPPORT HEALTHY AGING

Higher Protein Intakes, Including Whey Protein, Can Help Maintain Muscle Mass in the Aging

It is estimated that by 2030 one in five U.S. residents will be 65 and older.³⁴ This population should pay special attention to maintaining their muscle mass as decreased physical activity, chronic diseases and nutritional deficiencies may contribute to the development of sarcopenia.³⁵ Sarcopenia is a progressive process that can be characterized by approximately 3-8% reduction in lean muscle mass per decade after 30 years of age, and this rate may be even higher as individuals age.³⁶⁻³⁹

In particular, aging muscle seems to be less responsive to lower amounts of amino acids than younger muscle.^{40, 41} As a result, consuming more than the Recommended Dietary Allowance (RDA) for protein (0.8 grams per kg body weight) may be beneficial for older adults to help them meet their metabolic and physiological needs.⁴²⁻⁴⁴

Quality and timing are also important factors to consider. Experts suggest that consuming 20-30 grams of high-quality protein at each meal may help older adults maximize their ability to make more protein, which in turn, may help preserve muscle or slow muscle loss associated with aging.^{36,45,46} However, more research is needed.



Reference List

- (1) Tipton KD, Elliott TA and Cree MG. Ingestion of casein and whey proteins result in muscle anabolism after resistance exercise. *Med Sci Sports Exerc.* 2004; 36: 2073-2081.
- (2) Howarth KR, Moreau NA, Phillips SM, et al. Coingestion of protein with carbohydrate during recovery from endurance exercise stimulates skeletal muscle protein synthesis in humans. *J Appl Physiol.* 2009; 106: 1394-1402.
- (3) Tang JE, Manolagos JJ, Kujbida GW, et al. Minimal whey protein with carbohydrate stimulates muscle protein synthesis following resistance exercise in trained young men. *Appl Physiol Nutr Metab.* 2007; 32: 1132-1138.
- (4) Tipton KD, Elliott TA, Cree MG, et al. Stimulation of net muscle protein synthesis by whey protein ingestion before and after exercise. *Am J Physiol Endocrinol Metab.* 2007; 292: E71-E76.
- (5) Josse A, Atkinson S, Tarnopolsky M, Phillips SM. Increased consumption of dairy foods and protein during diet- and exercise-induced weight loss promotes fat mass loss and lean mass gain in overweight and obese premenopausal women. *J Nutr* 2011;141:1626-1634.
- (6) Baer D, Stote KS, Paul D, Harris G, Rumpler W, Clevidence B. Whey protein but not soy alters body weight and composition in free-living overweight and obese adults. *J Nutr* 2011;141:1489-1494.
- (7) Westertep-Plantenga M, Nieuwenhuizen A, Tome D, Soenen S, Westertep K. Dietary protein, weight loss, and weight maintenance. *Annu Rev Nutr* 2009;29:11.1-11.21.
- (8) Claessens M, van Baak M, Monsheimer S, Saris WHM. The effect of a low-fat, high-protein or high-carbohydrate ad libitum diet on weight loss maintenance and metabolic risk factors. *Int J Obes* 2009;33:296-304.

Visit www.wheyprotein.nationaldairycouncil.org for more information about the power of whey protein.



NATIONAL DAIRY COUNCIL®

© 2013 NATIONAL DAIRY COUNCIL ®

WHEY PROTEIN

STATE OF THE SCIENCE: *The Power of Whey Protein*

- (9) Westerberp-Plantenga M, Lejeune M, Nijs I, van Ooijen M, Kovacs E. High protein intake sustains weight maintenance after body weight loss in humans. *Int J Obes* 2004;28:57-64.
- (10) Lejeune M, Kovacs E, Westerberp-Plantenga S. Additional protein intake limits weight regain after weight loss in humans. *Br J Nutr* 2005;93:281-289.
- (11) Institute of Medicine. *Macronutrients and healthful diets. Dietary Reference Intakes for Energy, Carbohydrate, Fiber, Fat, Fatty Acids, Cholesterol, Protein, and Amino Acids (Macronutrients)*. 2005. Washington, DC, National Academies Press. 11-4-2012.
- (12) Smeets A, Soenen S, Luscombe-Marsh N, Ueland O, Westerberp-Plantenga M. Energy expenditure, satiety, and plasma ghrelin, glucagon-like peptide 1, and peptide tyrosine-tyrosine concentrations following a single high-protein lunch. *J Nutr* 2008;138:698-702.
- (13) Leidy H, Armstrong C, Tang M, Mattes R, Campbell W. The influence of higher protein intake and greater eating frequency on appetite control in overweight and obese men. *Obesity* 2010;18:1725-1732.
- (14) Churchward-Venne T, Burd N, Mitchell C et al. Supplementation of a suboptimal protein dose with leucine or essential amino acids: effects on myofibrillar protein synthesis at rest and following resistance exercise in men. *J Physiol* 2012;590:2751-2765.
- (15) Tang J, Phillips S. Maximizing muscle protein anabolism: the role of protein quality. *Curr Opin Clin Nutr Metab Care* 2009;12:66-71.
- (16) Tang J, Moore D, Kujbida G, Tarnopolsky M, Phillips S. Ingestion of whey hydrolysate, casein, or soy protein isolate: effects on mixed muscle protein synthesis at rest and following resistance exercise in young men. *J Appl Physiol* 2009;107:987-992.
- (17) Houston D, Nicklas J, Harris T et al. Dietary protein intake is associated with lean mass change in older, community-dwelling adults: the Health, Aging, and Body Composition (Health ABC) study. *Am J Clin Nutr*. 2008;87:150-155.
- (18) Mojtahedi M, Thorpe M, Karampinos D et al. The effects of a higher protein intake during energy restriction on changes in body composition and physical function in older women. *J Gerontol A Biol Sci Med Sci* 2011;66:1218-1225.
- (19) Halton TL and Hu FB. The effects of high protein diets on thermogenesis, satiety and weight loss: a critical review. *J AM Coll Nutr*. 2004; 23(5): 373-385.
- (20) Weigle DS, Breen PA, Matthys CC, et al. A high-protein diet induces sustained reductions in appetite, ad libitum caloric intake, and body weight despite compensatory changes in diurnal plasma leptin and ghrelin concentrations. *Am J Clin Nutr*. 2005; 82: 41-48.
- (21) Layman D. The role of leucine in weight loss diets and glucose homeostasis. *J Nutr*. 2003;133:261S-267S.
- (22) Burke DG, Chilibeck PD, Davidson KS, et al. The effect of whey protein supplementation with and without creatine monohydrate combined with resistance training on lean tissue mass and muscle strength. *Int J Sport Nutr Exerc Metab*. 2001; 11(3): 349-364.
- (23) Candow DG, Burke NC, Smith-Palmer T, et al. Effect of whey and soy protein supplementation combined with resistance training in young adults. *Int J Sport Nutr Exerc Metab*. 2006; 16: 233-244.
- (24) Hulmi JJ, Kovanen V, Selanne H, et al. Acute and long-term effects of resistance exercise with or without protein ingestion on muscle hypertrophy and gene expression. *Amino Acids*, 2008.
- (25) Hartman JW, Tang JE, Wilkinson SB, et al. Consumption of fat-free fluid milk after resistance exercise promotes greater lean mass accretion than does consumption of soy or carbohydrate in young, novice, male weightlifters. *Am J Clin Nutr*. 2007; 86: 373-381.
- (26) Brown EC, DiSilvestro RA, Babaknia A, et al. Soy versus whey protein bars: effects on exercise training impact on lean body mass and antioxidant status. *Nutr J*. 2004; 3: 22.
- (27) Andersen LL, Turekovic G, Zebis MK, et al. The effect of resistance training combined with timed ingestion of protein on muscle fiber size and muscle strength. *Metab Clin Exp*. 2005; 54: 151-156.
- (28) Willoughby DS, Stout JR, and Wilborn CD. Effects of resistance training and protein plus amino acid supplementation on muscle anabolism, mass, and strength. *Amino Acids*. 2007; 32(4): 467-477.
- (29) Candow, D.G., et al., *Effect of whey and soy protein supplementation combined with resistance training in young adults*. *Int J Sport Nutr Exerc Metab*, 2006; 16(3): 233-44.
- (30) Cribb, P.J., et al., *The effect of whey isolate and resistance training on strength, body composition, and plasma glutamine*. *Int J Sport Nutr Exerc Metab*, 2006; 16(5): 494-509.
- (31) Cribb, P.J., et al., *Effects of whey isolate, creatine, and resistance training on muscle hypertrophy*. *Med Sci Sports Exerc.*, 2007; 39(2): 298-307.
- (32) Cooke, M.B., et al., *Whey protein isolate attenuates strength decline after eccentrically-induced muscle damage in healthy individuals*. *J Int Soc Sports Nutr.*, 2010; 7: 30.
- (33) Valentine, R.J., et al., *Influence of carbohydrate-protein beverage on cycling endurance and indices of muscle disruption*. *Int J Sport Nutr Exerc Metab.*, 2008; 18(4): 363-78.
- (34) Vincent, Grayson, Victoria, et al. 2010. *The Next Four Decades, The Older Population in the United States: 2010 to 2050*. Current Population Reports, p25-1138, U.S. Census Bureau, Washington, DC.
- (35) Berger MJ and Doherty TJ. Sarcopenia: Prevalence, Mechanisms, and Functional Consequences. *Interdiscip Top Gerontol*. 2010; 37: 94-114.
- (36) Paddon-Jones D and Rasmussen BB. Dietary protein recommendations and the prevention of sarcopenia: Protein, amino acid metabolism and therapy. *Curr Opin Clin Nutr Metab Care*. 2009; 12(1): 86-90.
- (37) Volpi E, Nazemi R and Fujita S. Muscle tissue changes with aging. *Curr Opin Clin Nutr Metab Care*. 2004; 7:405-410.
- (38) Holloszy JO. 2000. The biology of aging. *Mayo Clin Proc* 75(Suppl):S3.
- (39) Melton LJ III, Khosla S, Crowson CS, et al. Epidemiology of sarcopenia. *J Am Geriatr Soc*. 2000; 48:625-630.
- (40) Yang Y, Breen L, Burd N et al. Resistance exercise enhances myofibrillar protein synthesis with graded intakes of whey protein in older men. *Br J Nutr*. In press 2012.
- (41) Pennings B, Groen B, de Lange A et al. Amino acid absorption and subsequent muscle protein accretion following graded intakes of whey protein in elderly men. *Am J Physiol Endocrinol Metab*. In press 2012.
- (42) Paddon-Jones D, Short KR, Campbell WW, et al. Role of dietary protein in the sarcopenia of aging. *Am J Clin Nutr*. 2008; 87(suppl): 1562S-1566S.
- (43) Campbell WW, Trappe TA, Jozsi AC, et al. Dietary protein adequacy and lower body versus whole body resistive training in older humans. *J Physiol*. 2002; 542: 631-642.
- (44) Kim JS, Wilson JM and Lee SR. Dietary implications on mechanisms of sarcopenia: roles of protein, amino acids and antioxidants. *J Nutr Biochem*. 2010; 21(1): 1-13.
- (45) Breen L, Phillips S. Skeletal muscle protein metabolism in the elderly: interventions to counteract the 'anabolic resistance' of aging. *Nutr Metab* 2011;8:68-79.
- (46) Symons T, Sheffield-Moore M, Wolfe RR, et al. A moderate serving of high-quality protein maximally stimulates skeletal muscle protein synthesis in young and elderly subjects. *J Am Diet Assoc*. 2009; 109: 1582-1586.

Visit www.wheyprotein.nationaldairycouncil.org for more information about the power of whey protein.



NATIONAL DAIRY COUNCIL®

© 2013 NATIONAL DAIRY COUNCIL ®